

PageSpeed Insights

Mobile

Collaboru



ヨシムラ 機械曲 R-77S サイクロン
EXPORT SPECフルエキゾース
(SMC) 110-40A-5120 JP店:株
e1ed5

2019-07-01
カテゴリトップ>国内メーカーマフラー>国内メーカーマフラー>ヨシムラ 機械曲 R-77S サイクロン カーボンエンド EXPORT S
110-40A-5120 JP店ヨシムラ 機械曲 R-77S サイクロン カーボ
13年-15年 ホンダ グロム
ハイステレス
サイレンサーカバーメタルマジック
エンドカバーカーボン
音量:88dB
ドレンホルト:○
フィルター:-
エンジンマフラー...

73 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://www.collaboru.co.jp/common.css>

Consider Fixing:

Mobile

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 1.6KiB (72% reduction).

- Compressing <http://www.collaboru.co.jp/common.css> could save 1.6KiB (72% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.collaboru.co.jp/businessimg.jpg> (expiration not specified)
- <http://www.collaboru.co.jp/common.css> (expiration not specified)
- <http://www.collaboru.co.jp/logo01.gif> (expiration not specified)

Reduce server response time

In our test, your server responded in 0.63 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Mobile

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 389B (17% reduction).

- Minifying <http://www.collaboru.co.jp/common.css> could save 389B (17% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 35.7KiB (32% reduction).

- Compressing <http://www.collaboru.co.jp/businessimg.jpg> could save 35.7KiB (32% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Mobile

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

61 / 100 User Experience

! Should Fix:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 980 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `` falls outside the viewport.
- The element `<h1>□□□□ □□□ R-77S...□□□□□ - e1ed5</h1>` falls outside the viewport.
- The element `<a>□□□□` falls outside the viewport.
- The element `<a>□□□` falls outside the viewport.
- The element `<a>□□□□` falls outside the viewport.
- The element `
` falls outside the viewport.
- The element `□□□□ □□□ R-77S...0-40A-5120 JP□` falls outside the viewport.
- The element `13□-15□ □□□ □□□` falls outside the viewport.
- The element `rk3c_47pasteru...7c318-15102525` falls outside the viewport.
- The element `f4theater7b11f4f5ya1003760463` falls outside the viewport.
- The element `n0c-c4auc-koni...16-navia06-mbp` falls outside the viewport.
- The element `trs-361bankanw...e4zzds-2081974` falls outside the viewport.
- The element `07wheellandbce...324w66357d8477` falls outside the viewport.
- The element `snk9dshop-sedo...binvicta-14609` falls outside the viewport.

Mobile

- The element `s5pb0-00tokka-...94562447044314` falls outside the viewport.
- The element `zkwn_27brandof...f2101214330124` falls outside the viewport.
- The element `m6yh-84wheella...337w67680d3896` falls outside the viewport.
- The element `21a3v88tiresho...843lsv870k47bm` falls outside the viewport.
- The element `□□□□` falls outside the viewport.
- The element `□□□□` falls outside the viewport.
- The element `□□□□` falls outside the viewport.
- The element `□□□□` falls outside the viewport.
- The element `□□□` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `rk3c_47pasteru...7c318-15102525` and 12 others are close to other tap targets.



3 Passed Rules

[Desktop](#)

[Enable compression](#) for the following resources to reduce their transfer size by 1.6KiB (72% reduction).

- Compressing <http://www.collaboru.co.jp/common.css> could save 1.6KiB (72% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.collaboru.co.jp/businessimg.jpg> (expiration not specified)
- <http://www.collaboru.co.jp/common.css> (expiration not specified)
- <http://www.collaboru.co.jp/logo01.gif> (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 389B (17% reduction).

- Minifying <http://www.collaboru.co.jp/common.css> could save 389B (17% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following

Desktop

resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://www.collaboru.co.jp/common.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 35.7KiB (32% reduction).

- Compressing <http://www.collaboru.co.jp/businessimg.jpg> could save 35.7KiB (32% reduction).



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Desktop

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).